

Along with

Quality, Standard

should also be maintained



RAJKOT

Anuj Packaging

3/10 Bhaktinagar Corner, Nr. Bhaktinagar Post Office, Rajkot 360002(GUJ,)IND.

9979902441

anujpackaging09@gmail.com

JAMNAGAR

Anuj Packaging

Hingdag Complex Shop No. 24, Opp. Shiv Complex, Dared GIDC, Press 3, Jamnagar (GUJ.) IND.

78 786 77 577

anujpackaging09@gmail.com



intro.

ANUJ PACKAGING specializes in the sale of industrial packaging machinery and supplies.

We are the leading Supplier and Manufacturer of Sealing Machine, Shrink Wrapping machine, Strapping Machine and continue to expand our product line to meet your needs. We are your one stop source for Packaging equipment providing a complete inventory of spare parts and a full service technical department.

For over 13 years, we have been synonymous in the packaging industry for high quality products, reasonable prices, and excellent customer service. Browse our website featuring our full line of products.

smart product for smart industries.



Make It Batter.



Quality Assurance

Being a quality conscious firm, we aim to deliver quality packaging and sealing machinery to our customers. Owing to this, we put all our efforts to deal in a quality assured range of Automatic Strapping Machinery, Lined Carton Packing Machine, and allied. All our equipment are engineered are after rigorous research and development and hence, every product we manufacture is matchless in terms of quality and reliability. Their reliability is guaranteed by the periodic checks that the entire range go through during the product development process.

VISION

Our vision is to be the most advanced, realiable and high-end technology service provider in the ever growing liquid packaging industry. To increase our knowledge and capabilities as the service provider, and become global supplier of choice to provide quality services preferred by our customers.

MISSION

Our mission is to be the trusted technology and service provider of packaging solutions for years to come. To manufacture products of outstanding quality that give our customers a competitive advantage. To attain highest level of reliability, efficiency and integrity. As a technology-driven, customer-oriented company, we will continue to explore new technologies, thus enhancing our offer of machines and services.





1 Year Warranty

Our packing machines come with a 1-year warranty against manufacturing defects. Contact our sales department for more details.



Low Cost Solution

Our packaging machines are economically priced.



Free Application Consultancy

We have various solutions for packaging in our product portfolio. And offer Free consultancy in arriving at the appropriate packing solution for your application through our Application Experts.



Easy to Operate

Our packing machines are easy to operate and have features that will not only ease your work but save you a lot of money and increase your productivity.





Name Packway Model No

Dimensions

316H

Power Connection AC 220/230V, 50/60 Hz,

Single Phase

100 kgs

910mm(L) x 580mm(W) x 750mm(H)

9-15 mm (adjustable)

2 sec./strap Strapping Speed Maximum Tension 50 kgs Sealing Method Heat Sealing

P.P. Strap Width

Weight:

Dimensions

Name

SG-008 Model No 910mm(L) x 580mm(W) x 750mm(H)

AN-001

Strapping Speed 1 sec./strap

Maximum Tension 50 kgs Sealing Method

Heat Sealing

9-15 mm (adjustable) P.P. Strap Width

Power Connection AC 220/230V, 50/60 Hz,

Semi-Auto

Strapping Machine



Semi-Auto **Strapping Machine**







Name AN-002 (SG-90 HD) Model No

Dimensions

910mm(L) x 580mm(W) x 750mm(H)

1.5 sec./strap Strapping Speed Maximum Tension 50 kgs Heat Sealing Sealing Method

9-15 mm (adjustable) P.P. Strap Width

Power Connection AC 220/230V, 50/60 Hz, Single Phase

Model No (SG-316H) 910mm(L) x 580mm(W) Dimensions x 750mm(H) 1.5 sec./strap Strapping Speed Maximum Tension 50 kgs Sealing Method Heat Sealing

AN-003



P.P. Strap Width

Name

9-15 mm (adjustable)

Power Connection AC 220/230V, 50/60 Hz, Single Phase

Semi-Auto

Strapping Machine



Semi-Auto **Strapping Machine**







Name Chali JN_740 Model No 910mm(L) x 580mm(W) Dimensions

x 750mm(H)

Heat Sealing

1.5 sec./strap Strapping Speed Maximum Tension 55 kgf.

P.P. Strap Width

Sealing Method

9-15 mm (adjustable)

Power Connection AC 220/230V, 50/60 Hz, Single Phase



Semi-Auto

Strapping Machine



Join Pack Name SPPL-ES-103-STD Model No 908mm(L) x 580mm(W) Dimensions x 788mm(H) 1.4 sec./strap Strapping Speed Maximum Tension 55 kgf.



P.P. Strap Width Reel Unit

Sealing Method

6-15 mm (adjustable)

I.D.+200mm

Power Connection AC 220/230V, 50/60 Hz,

Single Phase

Heat Sealing

Power Connection 500 W



Semi-Auto

Strapping Machine





Name Model No

Dimensions

Chali JN_740

x 750mm(H)

1.5 sec./strap

Heat Sealing

Model No Dimensions

Name

Packway PIW - 0860 AC

PIW - 0860 AC

1390mm(L) x 640mm(W) x 1525mm(H)

Strapping Speed 2.2 Sec. / Strap

1620 Cycle / Hour

Maximum Tension 0.5 kg - 90 kgs

ANUJ PACKAGING

P.P. Strap Width

Strapping Speed

Sealing Method

Maximum Tension 55 kgf.

9-15 mm (adjustable)

910mm(L) x 580mm(W)

Power Connection AC 220/230V, 50/60 Hz,

Single Phase

P.P. Strap Width 9 mm | 12 mm | 15 mm | 19 mm

Power Connection AC 220/380V, /415V/440V
50/60 Hz, Three Phase

Power Connection 850 W













Battery Powered Plastic

Strapping Tool

Model No Dimensions DD-19A (China)

350mm(L) x 135mm(W)

x 170mm(H) 600 - 5500 N

Maximum Tension Sealing Method Machine Weight

Friction
4.2 Kg

Battery Weight

P.P. Strap Width

0.52 kg

13.00 mm - 25.00 (adjustable)



P.P. Strap Width

Strapt Thickness

Sealing Method

Machine Weight

Maximum Tension 3500 Newton

Model No

Air Pressure

12 mm - 19 mm

AQD - 19 (China)

Friction

3.8 Kg


0.7 To 1.27 mm

0.5 to 0.7 Mpa (72 to 100 Psi)



Pneumatic **Strapping Machine**









Shrink

Wrapping Machine





Stretch Wrapping Machine







Model No

AQD - 19 (China)

Maximum Tension 3500 Newton
Sealing Method Friction

Sealing Method Friction

Machine Weight 3.8 Kg



P.P. Strap Width Strapt Thickness 12 mm - 19 mm 0.7 To 1.27 mm

Air Pressure

0.5 to 0.7 Mpa (72 to 100 Psi)

Web Sealer

Shrink Machine





Continuos

Band Sealer Machine









L Sealer

Machine















Cap

Sealer





Automatic Glass Packing Machine









PP

STRAP(PLAIN / PRINTED)









